



Connects2Vision

User Manual

CAM-VX8

CAM-RT5

CAM-NS3

High Level LED Brake Light Camera

Vauxhall/Opel Vivaro 2001 - 2014

Renault Traffic 2001 - 2014

Nissan Primastar 2001 - 2014

PRODUCT FEATURES:

Image Sensor: 1/3" CMOS

TV Lines: 700

TV System: NTSC/PAL

Viewing Angle: 170 Degrees

Operating Voltage: 12V DC (Negative Ground)

Current Consumption: 47mA @ 12V

Waterproof Rating: IP69K

Image: Mirror

Operating Temperature: -30 Degrees C to +70 Degrees C

Infra-Red LED's: Yes

DISCLAIMER:

Prior to Installation

Read the manual prior to installation. Technical knowledge is necessary for installation. Please ensure you use the correct tools to avoid damage to the vehicle or product.

Connects2 can not be held responsible for the installation of this product.

Technical Support

Connects2 want to provide a fast and suitable resolution should you encounter any technical issues. With this in mind, when contacting Connects2, try to provide as much information as possible. This will speed up the process and help us to help you.

Please use our dedicated online technical support centre: support.connects2.com

- Camera with 1m cable to small Male 4pin camera connector
- 30cm small Female 4 pin camera connector to 4 pin waterproof connector adapter cable
- 10m 4pin waterproof connector to Video RCA and +/- 12V DC power extension cable
- Instructions

INSTALLATION

1. Remove the factory installed third brake light from the vehicle and unplug the connection cable.
2. Connect the new combined brake light/camera assembly to the brake light connector and test to ensure correct brake light operation.
3. Connect the fixed camera cable coming from the new assembly to the connection provided on the extension cable, using the small connector to waterproof connector adapter, and fit the light/camera to the vehicle in place of the factory light that you have removed, taking care not to trap any of the cables.
4. Connect the Black wire to a suitable ground and connect the Red wire to the reversing light circuit or an interface which provides a reverse signal.
5. Connect the extension cable to the display screen and ensure that the image is displayed correctly.



Subscribe to our YouTube Channel for installation guides and tips... www.youtube.com/connects2